

CURRICULUM VITAE

NAME

Noriya Uedo



STATUS

Date and place of birth: 12 August 1966, Osaka, Japan;
Nationality: Japan

PRESENT POSITION

- Vice-director, Department of Gastrointestinal Oncology, Osaka Medical Center for Cancer and Cardiovascular Diseases

Tel: +81 6 6972 1181, Fax: +81 6 6981 4067, E-mail: uedou-no@mc.pref.osaka.jp

April 2008 - Present

EDUCATION/TRAINING

- School of Medicine, Kagoshima University
- Internship: Department of second internal medicine, Osaka University Hospital
- Internship: Department of internal medicine, Kawanishi City Hospital
- Residency: Department of Gastrointestinal Oncology, Osaka Medical Center for Cancer and Cardiovascular Diseases

April 1985 - March 1992

April 1992 - May 1992

June 1992 - May 1994

June 1994 - May 1997

PROFESSIONAL AND EDUCATIONAL EXPERIENCE

- Visiting physician, University Hospital in Cleveland, Case Western Reserve University
- Visiting professor, Malmoe University Hospital, Lund University, Sweden
- Visiting professor, Department of Gastroenterology, PLA General Hospital
- Visiting professor, Department of Endoscopy, Fukuoka University Chikushi Hospital, Japan

March 2000 - May 2000

March 2014-April 2014,
October 2014-
November 2014
January 2015-

April 2016-

MEMBERSHIP

- Councilor, Japanese Gastroenterological Endoscopic Society
- Councilor, Japanese Society of Gastroenterology
- Councilor, Japanese Gastric Cancer Association
- Councilor, Japanese Esophageal Society
- International member, American Society of Gastrointestinal Endoscopy

EDITORIAL BOARD

- Associated editor, Digestive Endoscopy
- Associated editor, Annals of Gastroenterology

RESEARCH IN PROGRESS

Advanced endoscopic diagnosis and treatment for cancer in the digestive tract

RECENT INTEREST

New technology and techniques of gastrointestinal endoscopy, and their application for diagnosis and treatment of cancers in the gastrointestinal tract

RECENT (2011-2016) PUBLICATIONS

FIRST OR CORRESPONDING AUTHOR:

1. Hamada K, Uedo N, Hanaoka N, Ishihara R, Oh Y. Gastrointestinal: Endoscopic mucosal resection for diagnosis of infiltrating gastric cancer: A case report. *J Gastroenterol Hepatol*. 2016 Oct;31(10):1670. doi: 10.1111/jgh.13404. No abstract available.
2. Miyazaki J, Uedo N, Li ZL, Matsuo S. Endoscopic submucosal dissection for anal intraepithelial neoplasia. *Ann Gastroenterol*. 2016 Oct-Dec;29(4):546. No abstract available.
3. Uedo N, Yao K. Endoluminal Diagnosis of Early Gastric Cancer and Its Precursors: Bridging the Gap Between Endoscopy and Pathology. *Adv Exp Med Biol*. 2016;908:293-316. doi: 10.1007/978-3-319-41388-4_14.
4. Nagai K, Uedo N, Yamashina T, Matsui F, Matsuura N, Ito T, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, Ishihara R, Iishi H. A comparative study of grasping-type scissors forceps and insulated-tip knife for endoscopic submucosal dissection of early gastric cancer: a randomized controlled trial. *Endosc Int Open*. 2016 Jun;4(6):E654-60. doi: 10.1055/s-0042-105870.
5. Hamada K, Uedo N, Tomita Y, Iishi H. A bleeding gastric ulcer caused by anisakiasis. *Ann Gastroenterol*. 2016 Jul-Sep;29(3):378. doi: 10.20524/aog.2016.0039.
6. Kim HH, Uedo N. Hybrid NOTES: Combined Laparo-endoscopic Full-thickness Resection Techniques. *Gastrointest Endosc Clin N Am*. 2016 Apr;26(2):335-73. Review.
7. Uedo N, Gotoda T, Yoshinaga S, Tanuma T, Morita Y, Doyama H, Aso A, Hirasawa T, Yano T, Uchita N, Ho SH, Hsieh PH. Differences in routine esophagogastroduodenoscopy between Japanese and international facilities: A questionnaire survey. *Dig Endosc*. 2016 Apr;28 Suppl 1:16-24. Kanesaka T, Uedo N, Yao K, Ezoe Y, Doyama H, Oda I, Kaneko K, Kawahara Y, Yokoi C, Sugiura Y, Ishikawa H, Kato M, Takeuchi Y, Muto M, Saito Y. A significant feature of microvessels in magnifying narrow-band imaging for diagnosis of early gastric cancer. *Endosc Int Open*. 2015 Dec;3(6):E590-6.
8. Yamasaki Y, Uedo N, Ishihara R, Tomita Y. Endoscopic mucosal resection of early stage colon neuroendocrine carcinoma. *BMJ Case Rep*. 2015 Mar 3;2015. pii: bcr2014208148. doi: 10.1136/bcr-2014-208148.
9. Yamashina T, Uedo N, Dainaka K, Aoi K, Matsuura N, Ito T, Fujii M, Kanesaka T, Yamamoto S, Akasaka T, Hanaoka N, Takeuchi Y, Higashino K, Ishihara R, Kishi K, Fujiwara Y, Iishi H. Long-term survival after endoscopic resection for early gastric cancer in the remnant stomach: comparison with radical surgery. *Ann Gastroenterol*. 2015;28:66-71.
10. Uedo N, Nemeth A, Johansson GW, Toth E, Thorlacius H. Underwater endoscopic mucosal resection of large colorectal lesions. *Endoscopy*. 2015 Feb;47(2):172-4
11. Mototsugu Fujii, **Noriya Uedo**, Ryu Ishihara, Kenji Aoi, Noriko Matsuura, Takashi Ito, Takeshi Yamashina, Noboru Hanaoka, Yoji Takeuchi, Koji Higashino, Hiroyasu Iishi, Yasuhiko Tomita and Yutaro Egashira. ENDOSCOPIC FEATURES OF EARLY STAGE GASTRIC ADENOCARCINOMA OF FUNDIC GLAND TYPE (CHIEF CELL PREDOMINANT TYPE): A CASE REPORT. *Case Reports in Clinical Pathology*, 2014;2:17-22
12. Takeshi Yamashina, **Noriya Uedo**, Katsuyuki Dainak, Kenji Aoi, Noriko Matsuura, Takashi Ito, Mototsugu Fujii, Takashi Kanesaka, Sachiko Yamamoto, Tomofumi Akasaka, Noboru Hanaoka, Yoji Takeuchi, Koji Higashino, Ryu Ishihara, Kentaro Kishi, Yoshiyuki Fujiwara, Hiroyasu Iishi. Long-term survival after endoscopic resection for early gastric cancer in the remnant stomach: comparison with radical surgery *Annals of Gastroenterology* (2014) 27, 1-6
13. Uedo N, Nemeth A, Toth E, Thorlacius H. Underwater endoscopic mucosal resection of a large depressed adenoma in the ileum. *Endoscopy*. 2014;46 Suppl 1:E336-7. doi: 10.1055/s-0034-1377280. Epub 2014 Aug 4
14. Uedo N. Screening patients for gastric cancer: art and science are better together. *Ann Gastroenterol*. 2014;27:1-2, *Editorial*
15. **Noriya Uedo**, Hyung Hun Kim, Rapat Pittayanon, Ryu Ishihara. NEW OPTICAL TECHNIQUES HELPING IN DIAGNOSES *Helicobacter Pylori: Detection Methods, Diseases and Health Implications*, Eds. Manfredi M and Angelis GL, Nova Science Publisher, pp 83-98
16. **Noriya Uedo**. Advanced Imaging in the Diagnosis of Gastric Intestinal Neoplasia. *Video Journal and Encyclopedia of GI Endoscopy*. 2013;1:112-114
17. Takuya Inoue, **Noriya Uedo**, Takeshi Yamashina, Sachiko Yamamoto, Noboru Hanaoka, Yoji Takeuchi, Koji Higashino, Ryu Ishihara, Hiroyasu Iishi, Masaharu Tatsuta, Hidenori Takahashi,

- Hidetoshi Eguchi, and Hiroaki Ohigashi. Delayed perforation: a hazardous complication of endoscopic resection for non-ampullary duodenal neoplasm. *Dig Endosc*. 2013 Apr 29.
18. Hyung Hun Kim, **Noriya Uedo**. What Have We Accomplished in Endoscopic Image Analysis for Atrophic Gastritis? *Korean J Helicobacter Up Gastrointest Res* 2013;13:6-19
 19. **Noriya Uedo**, Kenshi Yao, Ryu Ishihara. Screening and treating intermediate lesions to prevent gastric cancer. *Gastroenterol Clin North Am*. 2013 Jun;42(2):317-35.
 20. Takeshi Yamashina, **Noriya Uedo**, Fumi Matsui, Ryu Ishihara, Yasuhiko Tomita. Usefulness of Chromoendoscopy and Magnifying Narrow Band Imaging Endoscopy for Diagnosis of Demarcation of Adenocarcinoma in the Barrett's Esophagus: A Case Report. *Digestive Endoscopy* 2013 May;25 Suppl 2:173-6.
 21. Takeshi Yamashina, **Noriya Uedo**, Mototsugu Fujii, Ryu Ishihara, Manabu Mikamori, Masaaki Motoori, Masahiko Yano, Hiroyasu Iishi. Delayed perforation after intralesional triamcinolone injection for esophageal stricture after endoscopic submucosal dissection. *Endoscopy*. 2013 Mar;45 Suppl 2:E92.
 22. Tsujii Y, **Uedo N**, Nagata S. Solitary Peutz-Jeghers polyp mimicking invasive cancer. *Dig Endosc*. 2013;25:86-7
 23. **Noriya Uedo**, Yoji Takeuchi, Ryu Ishihara. Endoscopic management of early gastric cancer: endoscopic mucosal resection or endoscopic submucosal dissection: data from a Japanese high-volume center and literature review. *Annals of Gastroenterology* 2012;25:281-290
 24. Koichi Tatsumi, **Noriya Uedo**, Ryu Ishihara, Sachiko Yamamoto, Shunsuke Yamamoto, Eriko Masuda, Motohiko Kato, Yoji Takeuchi, Koji Higashino, Hiroyasu Iishi, Yukinori Kurokawa and Masaharu Tatsuta. A water-jet videoendoscope may reduce operation time of endoscopic submucosal dissection for early gastric cancer. *Dig Dis Sci* 2012;57:2122-9
 25. Hiromitsu Kanzaki, **Noriya Uedo**, Ryu Ishihara, Kengo Nagai, Fumi Matsui, Takashi Ohta, Masao Hanafusa, Noboru Hanaoka, Yoji Takeuchi, Koji Higashino, Hiroyasu Iishi, Yasuhiko Tomita, Masaharu Tatsuta and Kazuhide Yamamoto. Comprehensive Investigation of Areae Gastricae Pattern in Gastric Corpus using Magnifying Narrow Band Imaging Endoscopy in Patients with Chronic Atrophic Fundic Gastritis. *Helicobacter*. 2012 Jun;17(3):224-31.
 26. **Noriya Uedo**, Hwoon-Yong Jung, Mitsuhiro Fujishiro, I-Lin Lee, Pinghong Zhou, Philip Chiu, Dong Kyung Chang, Kenichi Goda. CURRENT SITUATION OF ENDOSCOPIC SUBMUCOSAL DISSECTION FOR SUPERFICIAL NEOPLASMS IN THE UPPER DIGESTIVE TRACT IN EAST ASIAN COUNTRIES: A QUESTIONNAIRE SURVEY. *Digestive Endoscopy* 2012 May;24 Suppl 1:124-8.
 27. **Noriya Uedo**, Mitsuhiro Fujishiro, Kenichi Goda, Dai Hirasawa, Yoshiro Kawahara, Jun H Lee, Ryoji Miyahara, Yoshinori Morita, Rajvinder Singh, Manabu Takeuchi, Shufang Wang and Takashi Yao. ROLE OF NARROW BAND IMAGING FOR DIAGNOSIS OF EARLY-STAGE ESOPHAGOGASTRIC CANCER: CURRENT CONSENSUS OF EXPERIENCED ENDOSCOPISTS IN ASIA-PACIFIC REGION *Digestive Endoscopy* (2011) 23 (Suppl. 1), 58–71
 28. **Uedo N**. Do We Need Multiple Biopsies for Assessing Gastric Cancer Risk? *Dig Dis Sci*. 2011;56:926–928, 2011 Feb 16. (Editorial)

CO-AUTHOR:

1. Akasaka T, Takeuchi Y, Uedo N, Ishihara R, Iishi H. "Underwater" endoscopic submucosal dissection for superficial esophageal neoplasms. *Gastrointest Endosc*. 2017 Jan;85(1):251-252. doi: 10.1016/j.gie.2016.07.018. No abstract available.
2. Yamashina T, Takada R, Uedo N, Akasaka T, Hanaoka N, Takeuchi Y, Higashino K, Ioka T, Ishihara R, Teshima T, Nishiyama K, Iishi H. Prospective small bowel mucosal assessment immediately after chemoradiotherapy of unresectable locally advanced pancreatic cancer using capsule endoscopy: a case series. *Ann Gastroenterol*. 2016 Jul-Sep;29(3):386-8. doi: 10.20524/aog.2016.0063.
3. Kato M, Ishihara R, Hamada K, Tonai Y, Yamasaki Y, Matsuura N, Kanesaka T, Yamamoto S, Akasaka T, Hanaoka N, Takeuchi Y, Higashino K, Uedo N, Iishi H. Endoscopic surveillance of head and neck cancer in patients with esophageal squamous cell carcinoma. *Endosc Int Open*. 2016 Jul;4(7):E752-5. doi: 10.1055/s-0042-106720
4. Arantes V, Uedo N, Pedrosa MS, Tomita Y. Clinical relevance of aberrant polypoid nodule scar after endoscopic submucosal dissection. *World J Gastrointest Endosc*. 2016 Sep 16;8(17):628-34. doi: 10.4253/wjge.v8.i17.628.

5. Akasaka T, Takeuchi Y, Yamasaki Y, Hanaoka N, Uedo N, Ishihara R, Iishi H. "Take your polyp for a walk": endoscopic retrieval of multiple colon polyps using a clip and line. *Endoscopy*. 2016;48 Suppl 1:E291-2. doi: 10.1055/s-0042-115563. No abstract available.
6. Yamasaki Y, Ishihara R, Hanaoka N, Matsuura N, Kanesaka T, Akasaka T, Kato M, Hamada K, Tonai Y, Yamamoto S, Takeuchi Y, Higashino K, Uedo N, Ito Y, Yano M, Iishi H. Pethidine hydrochloride is a better sedation method for pharyngeal observation by transoral endoscopy compared with no sedation and midazolam. *Dig Endosc*. 2017 Jan;29(1):39-48. doi: 10.1111/den.12746.
7. Tonai Y, Ishihara R, Yamasaki Y, Kanesaka T, Yamamoto S, Akasaka T, Hanaoka N, Takeuchi Y, Higashino K, Uedo N, Tomita Y, Iishi H. First reports of esophageal adenocarcinoma with white globe appearance in Japanese and Caucasian patients. *Endosc Int Open*. 2016 Oct;4(10):E1075-E1077.
8. Yamashina T, Takeuchi Y, Nagai K, Matsuura N, Ito T, Fujii M, Hanaoka N, Higashino K, Uedo N, Ishihara R, Iishi H. Scissor-type knife significantly improves self-completion rate of colorectal endoscopic submucosal dissection: Single-center prospective randomized trial. *Dig Endosc*. 2016 Dec 15. doi: 10.1111/den.12784. [Epub ahead of print]
9. Lage J, Uedo N, Dinis-Ribeiro M, Yao K. Surveillance of patients with gastric precancerous conditions. *Best Pract Res Clin Gastroenterol*. 2016 Dec;30(6):913-922. Review.
10. Arantes V, Uedo N, Salgado Pedrosa M. Polypoid nodular scar after endoscopic submucosal dissection in the gastric antrum. *Rev Gastroenterol Mex*. 2016 Nov 25. pii: S0375-0906(16)30079-9. doi: 10.1016/j.rgm.2016.03.008. [Epub ahead of print] English, Spanish. No abstract available.
11. Miwa H, Uedo N, Watari J, Mori Y, Sakurai Y, Takanami Y, Nishimura A, Tatsumi T, Sakaki N. Randomised clinical trial: efficacy and safety of vonoprazan vs. lansoprazole in patients with gastric or duodenal ulcers - results from two phase 3, non-inferiority randomised controlled trials. *Aliment Pharmacol Ther*. 2017 Jan;45(2):240-252. doi: 10.1111/apt.13876.
12. Tanabe S, Ishido K, Matsumoto T, Kosaka T, Oda I, Suzuki H, Fujisaki J, Ono H, Kawata N, Oyama T, Takahashi A, Doyama H, Kobayashi M, Uedo N, Hamada K, Toyonaga T, Kawara F, Tanaka S, Yoshifuku Y. Long-term outcomes of endoscopic submucosal dissection for early gastric cancer: a multicenter collaborative study. *Gastric Cancer*. 2016 Nov 2. [Epub ahead of print]
13. Yao K, Uedo N, Muto M, Ishikawa H, Cardona HJ, Filho EC, Pittayanon R, Olano C, Yao F, Parra-Blanco A, Ho SH, Avendano AG, Piscoya A, Fedorov E, Bialek AP, Mittrakov A, Caro L, Gonen C, Dolwani S, Farca A, Cuaresma LF, Bonilla JJ, Kasetsermwiya W, Ragunath K, Kim SE, Marini M, Li H, Cimmino DG, Piskorz MM, Iacopini F, So JB, Yamazaki K, Kim GH, Ang TL, Milhomem-Cardoso DM, Waldbaum CA, Carvajal WA, Hayward CM, Singh R, Banerjee R, Anagnostopoulos GK, Takahashi Y. Development of an E-learning System for the Endoscopic Diagnosis of Early Gastric Cancer: An International Multicenter Randomized Controlled Trial. *EBioMedicine*. 2016 Jul;9:140-7. doi: 10.1016/j.ebiom.2016.05.016.
14. Kanesaka T, Uedo N, Higashino K, Takeuchi Y, Ishihara R. Traction-assisted endoscopic submucosal dissection of a rectal adenoma located on the anastomotic suture line. *Gastrointest Endosc*. 2016 May 6. pii: S0016-5107(16)30130-4. doi: 10.1016/j.gie.2016.04.046. [Epub ahead of print] No abstract available.
15. Luo X, Guo XX, Wang WF, Peng LH, Yang YS, Uedo N. Autofluorescence imaging endoscopy can distinguish non-erosive reflux disease from functional heartburn: A pilot study. *World J Gastroenterol*. 2016 Apr 14;22(14):3845-51. doi: 10.3748/wjg.v22.i14.3845.
16. Hanaoka N, Ishihara R, Uedo N, Takeuchi Y, Higashino K, Akasaka T, Kanesaka T, Matsuura N, Yamasaki Y, Hamada K, Iishi H. Refractory strictures despite steroid injection after esophageal endoscopic resection. *Endosc Int Open*. 2016 Mar;4(3):E354-9. doi: 10.1055/s-0042-100903.
17. Muto M, Yao K, Kaise M, Kato M, Uedo N, Yagi K, Tajiri H. Magnifying endoscopy simple diagnostic algorithm for early gastric cancer (MESDA-G). *Dig Endosc*. 2016 May;28(4):379-93. doi: 10.1111/den.12638. Review. Erratum in: *Dig Endosc*. 2016 Jul;28(5):630.
18. Gotoda T, Uedo N, Yoshinaga S, Tanuma T, Morita Y, Doyama H, Aso A, Hirasawa T, Yano T, Uchita K, Ho SH, Hsieh PH. Basic principles and practice of gastric cancer screening using high-definition white-light gastroscopy: Eyes can only see what the brain knows. *Dig Endosc*. 2016 Apr;28 Suppl 1:2-15. doi: 10.1111/den.12623. Review.
19. Yamasaki Y, Takeuchi Y, Uedo N, Kato M, Hamada K, Tonai Y, Matsuura N, Kanesaka T, Akasaka T, Hanaoka N, Higashino K, Ishihara R, Iishi H. Feasibility of Simple Traction Technique for Rectal Endoscopic Submucosal Dissection. *Dig Dis Sci*. 2016 Jul;61(7):2127-31. doi: 10.1007/s10620-016-4036-2.

20. Yamasaki Y, Takeuchi Y, Uedo N, Kato M, Hamada K, Aoi K, Tonai Y, Matsuura N, Kanesaka T, Yamashina T, Akasaka T, Hanaoka N, Higashino K, Ishihara R, Iishi H. Traction-assisted colonic endoscopic submucosal dissection using clip and line: a feasibility study. *Endosc Int Open*. 2016 Jan;4(1):E51-5. doi: 10.1055/s-0041-107779. Epub 2015 Nov 30.
21. Takeuchi Y, Yamashina T, Matsuura N, Ito T, Fujii M, Nagai K, Matsui F, Akasaka T, Hanaoka N, Higashino K, Iishi H, Ishihara R, Thorlacius H, Uedo N. Feasibility of cold snare polypectomy in Japan: A pilot study. *World J Gastrointest Endosc*. 2015 Nov 25;7(17):1250-6. doi: 10.4253/wjge.v7.i17.1250.
22. Uchita K, Yao K, Uedo N, Shimokawa T, Iwasaki T, Kojima K, Kawada A, Nakayama M, Okazaki M, Iwamura S. Highest power magnification with narrow-band imaging is useful for improving diagnostic performance for endoscopic delineation of early gastric cancers. *BMC Gastroenterol*. 2015 Nov 2;15(1):155. doi:10.1186/s12876-015-0385-0.
23. Veitch AM, Uedo N, Yao K, East JE. Optimizing early upper gastrointestinal cancer detection at endoscopy. *Nat Rev Gastroenterol Hepatol*. 2015 Nov;12(11):660-7. doi: 10.1038/nrgastro.2015.128. [Epub ahead of print] Review.
24. Hanaoka N, Ishihara R, Takeuchi Y, Suzuki M, Otozai S, Kida K, Yoshii T, Fujii T, Yoshino K, Sugawa T, Kitamura K, Kanemura R, Koike R, Uedo N, Higashino K, Akasaka T, Yamashina T, Kanesaka T, Matsuura N, Aoi K, Yamasaki Y, Hamada K, Iishi H, Tomita Y. Endoscopic submucosal dissection as minimally invasive treatment for superficial pharyngeal cancer: a phase II study (with video). *Gastrointest Endosc*. 2015 Jul 30. pii: S0016-5107(15)02593-6. doi: 10.1016/j.gie.2015.06.021.
25. Yamasaki Y, Takeuchi Y, Hanaoka N, Higashino K, **Uedo N**, Ishihara R, Iishi H. A novel traction method using an endoclip attached to a nylon string during colonic endoscopic submucosal dissection. *Endoscopy*. 2015;47 Suppl 1 UCTN:E238-9.
26. Kakushima N, Hori K, Ono H, Horimatsu T, **Uedo N**, Ohata K, Doyama H, Kaneko K, Oda I, Hikichi T, Kawahara Y, Niimi K, Takaki Y, Mizuno M, Yazumi S, Hosokawa A, Imagawa A, Niimi M, Yoshimura K, Muto M Proton pump inhibitor after endoscopic resection for esophageal squamous cell cancer: multicenter prospective randomized controlled trial. *J Gastroenterol*. 2015 May 5. [Epub ahead of print]
27. Ito T, Takeuchi Y, Hanaoka N, Matsuura N, Hamada K, **Uedo N**, Ishihara R, Shingai T, Ohue M, Tomita Y, Iishi H. Ten-millimeter advanced transverse colon cancer accompanied by a sessile serrated adenoma and/or polyp. *Gastrointest Endosc*. 2015 Apr 17
28. Hanaoka N, Ishihara R, Matsuura N, **Uedo N**, Takeuchi Y, Higashino K, Yamashina T, Aoi K, Iishi H. Esophageal EUS by filling water-soluble lubricating jelly for diagnosis of depth of invasion in superficial esophageal cancer. *Gastrointest Endosc*. 2015 Apr 25
29. Takeuchi Y, Hanafusa M, Kanzaki H, Ohta T, Hanaoka N, Yamamoto S, Higashino K, Tomita Y, **Uedo N**, Ishihara R, Iishi H. An alternative option for "resect and discard" strategy, using magnifying narrow-band imaging: a prospective "proof-of-principle" study. *J Gastroenterol*. 2015 Feb 18
30. Ishihara R, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Iishi H. Endoscopic submucosal dissection for superficial Barrett's esophageal cancer in the Japanese state and perspective. *Ann Transl Med*. 2014;2:24.
31. Takeuchi Y, Hanafusa M, Kanzaki H, Ohta T, Hanaoka N, Yamamoto S, Higashino K, Tomita Y, **Uedo N**, Ishihara R, Iishi H. An alternative option for "resect and discard" strategy, using magnifying narrow-band imaging: a prospective "proof-of-principle" study. *J Gastroenterol*. 2015 Feb 18
32. Wang W, **Uedo N**, Yang Y, Peng L, Bai D, Lu Z, Fan K, Wang J, Wang X, Zhao Y, Yu Z. Autofluorescence imaging endoscopy for predicting acid reflux in patients with gastroesophageal reflux disease. *J Gastroenterol Hepatol*. 2014;29(7):1442-8
33. Ishihara R, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Iishi H. Endoscopic submucosal dissection for superficial Barrett's esophageal cancer in the Japanese state and perspective. *Ann Transl Med*. 2014;2:24.
34. Mochizuki S, **Uedo N**, Oda I, Kaneko K, Yamamoto Y, Yamashina T, Suzuki H, Kodashima S, Yano T, Yamamichi N, Goto O, Shimamoto T, Fujishiro M, Koike K; and The SAFE Trial Study Group. Scheduled second-look endoscopy is not recommended after endoscopic submucosal dissection for gastric neoplasms (the SAFE trial): a multicentre prospective randomised controlled non-inferiority trial. *Gut*. 2014 Oct 9.
35. Nagai K, Ishihara R, Ishiguro S, Ohta T, Kanzaki H, Yamashina T, Aoi K, Matsuura N, Ito T, Fujii M, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Iishi H, Tatsuta M, Tomita Y,

- Matsunaga T. Endoscopic optical diagnosis provides high diagnostic accuracy of esophageal squamous cell carcinoma. *BMC Gastroenterol.* 2014 Aug 9;14(1):141.
36. Higuchi K, Takeuchi T, **Uedo N**, Takeuchi Y, Naito Y, Yagi N, Tominaga K, Machida H, Tamada T, Morita Y, Yazumi S, Yamao J, Iguchi M, Azuma T. Efficacy and safety of 1-week *Helicobacter pylori* eradication therapy and 7-week rebamipide treatment after endoscopic submucosal dissection of early gastric cancer in comparison with 8-week PPI standard treatment: a randomized, controlled, prospective, multicenter study. *Gastric Cancer.* 2014 Aug 7.
 37. Yamashina T, Takeuchi Y, **Uedo N**, Aoi K, Matsuura N, Nagai K, Matsui F, Ito T, Fujii M, Yamamoto S, Hanaoka N, Higashino K, Ishihara R, Tomita H, Iishi H. Diagnostic Features of Sessile Serrated Adenoma/Polyps on Magnifying Narrow Band Imaging: A Prospective Study of Diagnostic Accuracy. *J Gastroenterol Hepatol.* 2014 Aug 4. doi: 10.1111/jgh.12688. [Epub ahead of print]
 38. Takeuchi Y, Iishi H, Tanaka S, Saito Y, Ikematsu H, Kudo SE, Sano Y, Hisabe T, Yahagi N, Saitoh Y, Igarashi M, Kobayashi K, Yamano H, Shimizu S, Tsuruta O, Inoue Y, Watanabe T, Nakamura H, Fujii T, **Uedo N**, Shimokawa T, Ishikawa H, Sugihara K. Factors associated with technical difficulties and adverse events of colorectal endoscopic submucosal dissection: retrospective exploratory factor analysis of a multicenter prospective cohort. *Int J Colorectal Dis.* 2014 Jul 2. [Epub ahead of print]
 39. Sugimoto N, Fujitani K, Imamura H, **Uedo N**, Iijima S, Imano M, Shimokawa T, Kurokawa Y, Furukawa H, Goto M. Randomized Phase II Trial of S-1 plus Irinotecan Versus S-1 plus Paclitaxel as First-line Treatment for Advanced Gastric Cancer (OGSG0402). *Anticancer Res.* 2014;34:851-7.
 40. Singh R, Lee SY, Vijay N, Sharma P, **Uedo N**. Update on narrow band imaging in disorders of the upper gastrointestinal tract. *Dig Endosc.* 2014 Mar;26(2):144-53 2013 Dec 4. doi: 10.1111/den.12207
 41. Takeuchi Y, Shimokawa T, Ishihara R, Iishi H, Hanaoka N, Higashino K, **Uedo N**. An electrosurgical endoknife with a water-jet function (flushknife) proves its merits in colorectal endoscopic submucosal dissection especially for the cases which should be removed en bloc. *Gastroenterol Res Pract.* 2013;2013:530123.
 42. Arezzo A, Passera R, Saito Y, Sakamoto T, Kobayashi N, Sakamoto N, Yoshida N, Naito Y, Fujishiro M, Niimi K, Ohya T, Ohata K, Okamura S, Iizuka S, Takeuchi Y, **Uedo N**, Fusaroli P, Bonino MA, Verra M, Morino M. Systematic review and meta-analysis of endoscopic submucosal dissection versus transanal endoscopic microsurgery for large noninvasive rectal lesions. *Surg Endosc.* 2014;28:427-38
 43. Lee TC, Lin YH, **Uedo N**, Wang HP. Computer-aided diagnosis in endoscopy: A novel application toward automatic detection of abnormal lesions on magnifying narrow-band imaging endoscopy in the stomach. *Conf Proc IEEE Eng Med Biol Soc.* 2013 Jul;2013:4430-3. doi: 10.1109/EMBC.2013.6610529.
 44. Shiotani A, Murao T, Kimura Y, Matsumoto H, Kamada T, Kusunoki H, Inoue K, **Uedo N**, Iishi H, Haruma K. Identification of serum miRNAs as novel non-invasive biomarkers for detection of high risk for early gastric cancer. *Br J Cancer.* 2013 Oct 29;109(9):2323-30. doi: 10.1038/bjc.2013.596. Epub 2013 Oct 8.
 45. Jimmy So, Andrea Rajnakova, Yiong-Huak Chan, Amy Tay, Nilesh Shah, Manuel Salto-Tellez, Ming Teh, **Noriya Uedo**. Endoscopic Tri-Modal Imaging Improves Detection of Gastric Intestinal Metaplasia Among a High-Risk Patient Population in Singapore *Dig Dis Sci* DOI 10.1007/s10620-013-2843-2
 46. Ishihara R, Kanzaki H, Iishi H, Nagai K, Matsui F, Yamashina T, Matsuura N, Ito T, Fujii M, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Tatsuta M, Tomita Y, Ishiguro S. Pink-color sign in esophageal squamous neoplasia, and speculation regarding the underlying mechanism. *World J Gastroenterol.* 2013;19:4300-8. doi: 10.3748/wjg.v19.i27.4300.
 47. Yamada S, Doyama H, Yao K, **Uedo N**, Ezoe Y, Oda I, Kaneko K, Kawahara Y, Yokoi C, Sugiura Y, Ishikawa H, Takeuchi Y, Saito Y, Muto M. An efficient diagnostic strategy for small, depressed early gastric cancer with magnifying narrow-band imaging: a post-hoc analysis of a prospective randomized controlled trial. *Gastrointest Endosc.* 2013 Aug 7. doi:pII: S0016-5107(13)02124-X. 10.1016/j.gie.2013.07.008
 48. Fujishiro M, Kaminishi M, Hiki N, Oda I, Fujisaki J, **Uedo N**, Kaise M, Tanabe S, Iguchi M, Matsuhashi N, Nomura S, Tajiri H, Yahagi N, Suzuki H. Efficacy of spraying l-menthol solution

- during endoscopic treatment of early gastric cancer: a phase III, multicenter, randomized, double-blind, placebo-controlled study. *J Gastroenterol*. 2014 Mar;49(3):446-54. doi: 10.1007/s00535-013-0856-4. Epub 2013 Jun 26.
49. Henrik Thorlacius, **Noryia Uedo**, and Ervin Toth. Implementation of Endoscopic Submucosal Dissection for Early Colorectal Neoplasms in Sweden. *Gastroenterology Research and Practice* Volume 2013 (2013), Article ID 758202, 6 pages. <http://dx.doi.org/10.1155/2013/758202>
 50. Singh R, Jayanna M, Navadgi S, Ruszkiewicz A, Saito Y, **Uedo N**. Narrow-band imaging with dual focus magnification in differentiating colorectal neoplasia. *Dig Endosc*. 2013 May;25 Suppl 2:16-20.
 51. Goda K, Singh R, Oda I, Omae M, Takahashi A, Koike T, Uedo N, Hirasawa D, Fujishiro M, Hirasawa K, Morita Y, Ho LK, Ajioka Y. Current status of endoscopic diagnosis and treatment of superficial Barrett's adenocarcinoma in Asia-Pacific region. *Dig Endosc*. 2013 May;25 Suppl 2:146-50.
 52. Singh R, Shahzad MA, Tam W, Goda K, Yu LH, Fujishiro M, Uedo N, Ruszkiewicz A. Preliminary feasibility study using a novel narrow-band imaging system with dual focus magnification capability in Barrett's esophagus: Is the time ripe to abandon random biopsies? *Dig Endosc*. 2013 May;25 Suppl 2:151-6.
 53. Yamashina T, Ishihara R, Nagai K, Matsuura N, Matsui F, Ito T, Fujii M, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Iishi H. Long-Term Outcome and Metastatic Risk After Endoscopic Resection of Superficial Esophageal Squamous Cell Carcinoma. *Am J Gastroenterol*. 2013 Feb 12.
 54. Kato M, Terao S, Adachi K, Nakajima S, Ando T, Yoshida N, **Uedo N**, Murakami K, Ohara S, Ito M, Uemura N, Shimbo T, Watanabe H, Kato T, Ida K; Study Group for Establishing Endoscopic Diagnosis of Chronic Gastritis. Changes in Endoscopic Findings of Gastritis after Cure of *H. pylori* Infection: Multicenter Prospective Trial. *Dig Endosc*. 2013 May;25(3):264-73.
 55. Fukuta N, Ida K, Kato T, **Uedo N**, Ando T, Watanabe H, Shimbo T; Study Group for Investigating Endoscopic Diagnosis of Gastric Intestinal Metaplasia. Endoscopic diagnosis of gastric intestinal metaplasia: A prospective multicenter study. *Dig Endosc*. 2013 Jan 29. doi: 10.1111/den.12032. [Epub ahead of print]
 56. Thorlacius H, **Uedo N**, Toth E. [Endoscopic submucosal dissection in colorectal polyps. Promising minimally invasive technique that allows larger resections]. *Lakartidningen*. 2012 Nov 7-13;109(45):2019-23.
 57. Kanzaki H, Ishihara R, Ishiguro S, Nagai K, Matsui F, Yamashina T, Ohta T, Yamamoto S, Hanaoka N, Hanafusa M, Takeuchi Y, Higashino K, **Uedo N**, Iishi H, Tomita Y. Histologic features responsible for brownish epithelium in squamous neoplasia of the esophagus by narrow-band imaging. *J Gastroenterol Hepatol*. 2013;28:274-8.
 58. Hanaoka N, Ishihara R, Takeuchi Y, **Uedo N**, Higashino K, Ohta T, Kanzaki H, Hanafusa M, Nagai K, Matsui F, Iishi H, Tatsuta M, Ito Y. Intralesional steroid injection to prevent stricture after endoscopic submucosal dissection for esophageal cancer: a controlled prospective study. *Endoscopy*. 2012;44:1007-11.
 59. Hanaoka N, Ishihara R, Takeuchi Y, Suzuki M, Uemura H, Fujii T, Yoshino K, **Uedo N**, Higashino K, Ohta T, Kanzaki H, Hanafusa M, Nagai K, Matsui F, Iishi H, Tatsuta M, Tomita Y. Clinical outcomes of endoscopic mucosal resection and endoscopic submucosal dissection as a transoral treatment for superficial pharyngeal cancer. *Head Neck*. 2013;35:1248-54.
 60. Yamashina T, Ishihara R, **Uedo N**, Nagai K, Matsui F, Kawada N, Oota T, Kanzaki H, Hanafusa M, Yamamoto S, Hanaoka N, Takeuchi Y, Higashino K, Iishi H. Safety and curative ability of endoscopic submucosal dissection for superficial esophageal cancers at least 50 mm in diameter. *Dig Endosc*. 2012 Jul;24(4):220-5.
 61. Inoue T, Ishihara R, **Uedo N**, Kawada N, Tsujii Y, Kanzaki H, Hanafusa M, Hanaoka N, Yamamoto S, Takeuchi Y, Higashino K, Iishi H, Tatsuta M. Risk factors of chest pain after endoscopic resection of early esophageal cancer. *Hepatogastroenterology*. 2012 Jul;59(117):1446-9.
 62. Fujishiro M, Jung HY, Goda K, Hirasawa K, Kakushima N, Lee IL, Morita Y, Oda I, Takeuchi M, Yamamoto Y, Zhou PH, **Uedo N**. Desirable training and roles of Japanese endoscopists towards the further penetration of endoscopic submucosal dissection in Asia. *Dig Endosc*. 2012 May;24 Suppl 1:121-3.
 63. Kakushima N, Hirasawa K, Morita Y, Takeuchi M, Yamamoto Y, Oda I, Goda K, **Uedo N**, Fujishiro M. Terminology for training of endoscopic submucosal dissection. *Dig Endosc*. 2012 May;24 Suppl 1:133-5.

64. Goda K, Fujishiro M, Hirasawa K, Kakushima N, Morita Y, Oda I, Takeuchi M, Yamamoto Y, **Uedo N**. How to teach and learn endoscopic submucosal dissection for upper gastrointestinal neoplasm in Japan. *Dig Endosc*. 2012 May;24 Suppl 1:136-42.
65. Ohta T, Ishihara R, **Uedo N**, Takeuchi Y, Nagai K, Matsui F, Kawada N, Yamashina T, Kanzaki H, Hanafusa M, Yamamoto S, Hanaoka N, Higashino K, Iishi H. Factors predicting perforation during endoscopic submucosal dissection for gastric cancer. *Gastrointest Endosc*. 2012 Apr 4. [Epub ahead of print]
66. Shiotani A, **Uedo N**, Iishi H, Murao T, Kanzaki T, Kimura Y, Kamada T, Kusunoki H, Inoue K, Haruma K. *H. pylori* eradication did not improve dysregulation of specific oncogenic miRNAs in intestinal metaplastic glands. *J Gastroenterol*. 2012 Mar 1. [Epub ahead of print]
67. Hiki N, Kaminishi M, Yasuda K, **Uedo N**, Kobari M, Sakai T, Hiratsuka T, Ohno K, Honjo H, Nomura S, Yahagi N, Tajiri H, Suzuki H. MULTICENTER PHASE II RANDOMIZED STUDY EVALUATING DOSE-RESPONSE OF ANTIPERISTALTIC EFFECT OF L-MENTHOL SPRAYED ONTO THE GASTRIC MUCOSA FOR UPPER GASTROINTESTINAL ENDOSCOPY. *Dig Endosc*. 2012 Mar;24(2):79-86.
68. Shiotani A, Murao T, **Uedo N**, Iishi H, Yamanaka Y, Kamada T, Kusunoki H, Inoue K, Haruma K. Eradication of *H. pylori* Did Not Improve Abnormal Sonic Hedgehog Expression in the High Risk Group for Gastric Cancer. *Dig Dis Sci*. 2012 Mar;57(3):643-9. Epub 2011 Sep 28.
69. Nagata S, Jin YF, Tomoeda M, Kitamura M, Yuki M, Yoshizawa H, Kubo C, Ito Y, **Uedo N**, Ishihara R, Iishi H, Tomita Y. Influential factors in procedure time of endoscopic submucosal dissection for gastric cancer with fibrotic change. *Dig Endosc*. 2011;23:296-301. doi: 10.1111/j.1443-1661.2011.01148.x. Epub 2011 Apr 18.
70. Ezoe Y, Muto M, **Uedo N**, Doyama H, Yao K, Oda I, Kaneko K, Kawahara Y, Yokoi C, Sugiura Y, Ishikawa H, Takeuchi Y, Kaneko Y, Saito Y. Magnifying narrowband imaging is more accurate than conventional white-light imaging in diagnosis of gastric mucosal cancer. *Gastroenterology*. 2011;141:2017-2025. Epub 2011 Aug 19.
71. Ishihara R, Inoue T, Hanaoka N, Takeuchi Y, Tsujii Y, Kanzaki H, Oota T, Hanafusa M, Yamamoto S, Nagai K, Matsui F, Kawada N, Higashino K, **Uedo N**, Iishi H. Autofluorescence imaging endoscopy for screening of esophageal squamous mucosal high-grade neoplasia: a phase II study. *J Gastroenterol Hepatol*. 2011 Jul 20. doi: 10.1111/j.1440-1746.2011.06850.x. [Epub ahead of print]
72. Ishihara R, Yamamoto S, Iishi H, Nagai K, Matui F, Kawada N, Ohta T, Kanzaki H, Hanafusa M, Hanaoka N, Takeuchi Y, Higashino K, **Uedo N**, Sugimoto N, Kawaguchi Y, Nishiyama K, Motoori M, Yano M, Hosoki T. Predicting the effects of chemoradiotherapy for squamous cell carcinoma of the esophagus by induction chemotherapy response assessed by positron emission tomography: toward PET-response-guided selection of chemoradiotherapy or esophagectomy. *Int J Clin Oncol*. 2012 Jun;17(3):225-32. Epub 2011 Jul 8.
73. Ono S, Fujishiro M, Kanzaki H, **Uedo N**, Yokoi C, Akiyama J, Sugawara M, Oda I, Suzuki S, Fujita Y, Tsubata S, Hirano M, Fukuzawa M, Kataoka M, Kamoshida T, Hirai S, Sumiyoshi T, Kondo H, Yamamoto Y, Okada K, Morita Y, Fujiwara S, Morishita S, Matsumoto M, Koike K. Conflicting clinical environment about the management of antithrombotic agents during the periendoscopic period in Japan. *J Gastroenterol Hepatol*. 2011 Sep;26(9):1434-40. doi: 10.1111/j.1440-1746.2011.06761.x.
74. Takeuchi Y, Hanaoka N, Hanafusa M, Ishihara R, Higashino K, Iishi H, **Uedo N**. Autofluorescence imaging of early colorectal cancer. *J Biophotonics*. 2011 Aug;4(7-8):490-7. doi: 10.1002/jbio.201100013. Epub 2011 May 9.
75. Kawahara Y, **Uedo N**, Fujishiro M, Goda K, Hirasawa D, Lee JH, Miyahara R, Morita Y, Singh R, Takeuchi M, Wang S, Yao T. The usefulness of NBI magnification on diagnosis of superficial esophageal squamous cell carcinoma. *Dig Endosc*. 2011 May;23 Suppl 1:79-82
76. Hiki N, Kaminishi M, Yasuda K, **Uedo N**, Honjo H, Matsuhashi N, Hiratsuka T, Sekine C, Nomura S, Yahagi N, Tajiri H, Suzuki H. Antiperistaltic effect and safety of l-menthol sprayed on the gastric mucosa for upper GI endoscopy: a phase III, multicenter, randomized, double-blind, placebo-controlled study. *Gastrointest Endosc*. 2011 May;73(5):932-41. Epub 2011 Feb 26.
77. Yamamoto S, Ishihara R, Motoori M, Kawaguchi Y, **Uedo N**, Takeuchi Y, Higashino K, Yano M, Nakamura S, Iishi H. Comparison Between Definitive Chemoradiotherapy and Esophagectomy in Patients With Clinical Stage I Esophageal Squamous Cell Carcinoma. *Am J Gastroenterol*. 2011 Jun;106(6):1048-54. Epub 2011 Feb 22.
78. Kawamura M, Abe S, Oikawa K, Terai S, Saito M, Shibuya D, Kato K, Shimada T, **Uedo N**, Masuda

T. Topographic differences in gastric micromucosal patterns observed by magnifying endoscopy with narrow band imaging. *J Gastroenterol Hepatol.* 2011 Mar;26(3):477-83.